

17 MAY 2007

TIME: 75 MINUTES

*This exam is being written by several thousand students. Please be sure that you follow the instructions below.
We'll send you a report on your performance. Top performers are eligible for a prize.*

1. Print your **name** here: _____

2. Print your **school name** and **city** on your STUDENT RESPONSE sheet.
3. Select, and enter on the STUDENT RESPONSE sheet, one of the following CODE numbers:
 - Code 1 **Ontario**, now studying Grade 11 Chemistry in a nonsemestered school
 - Code 2 **Ontario**, now studying Grade 11 Chemistry in a semestered school
 - Code 3 **Ontario**, Grade 11 Chemistry already completed
 - Code 4 Any **other Ontario** student
 - Code 5 **Manitoba or Saskatchewan** high school student
 - Code 6 **Québec** high school student
 - Code 7 **not used**
 - Code 8 **Alberta or British Columbia** high school student
 - Code 9 **New Brunswick, Newfoundland, Nova Scotia, or Prince Edward Island** high school student
 - Code 10 **Northwest Territories, Nunavut, or Yukon** high school student
 - Code 11 High school student **outside Canada**
 - Code 12 **Teacher**
4. **Print your name** (last name, first name and optional middle initial) **on the STUDENT RESPONSE sheet**. Also fill in the corresponding circles below your printed name.
5. **Carefully detach the last page.** It is the datasheet.
6. Now answer the exam questions. Questions are **not** in order of difficulty. Indicate your choice on the STUDENT RESPONSE sheet by marking one letter beside the question number.
 - Mark only one answer for each question.
 - Questions are all of the same value.
 - **There is a penalty** (1/4 off) for each incorrect answer, but no penalty if you do not answer.
7. Take care that you make firm, **black** pencil marks, just filling the oval.
Be careful that any erasures are complete—make the sheet white again.

**Carefully detach the last page.
It is the Data Sheet.**

- 1 Which of the following has the most neutrons?
 - A ^{18}F
 - B ^{18}O
 - C ^{14}C
 - D ^{15}N
 - E ^{11}B
- 2 Which of the following pairs of atomic symbols and elements is incorrect?
 - A Al - Aluminium
 - B Mg - Magnesium
 - C Ca - Calcium
 - D Br - Boron
 - E Mn - Manganese
- 3 Which of the following is not a subatomic particle?
 - A α -particle
 - B β -particle
 - C electron
 - D proton
 - E neutron
- 4 X_2O is the symbol of a compound. Which of the following is X least likely to be?
 - A magnesium (Mg)
 - B sodium (Na)
 - C cesium (Cs)
 - D hydrogen (H)
 - E copper (Cu)
- 5 How many protons are there in the nucleus of ^{127}I ?
 - A 7
 - B 53
 - C 74
 - D 127
 - E 190
- 6 Which group of elements has the greatest electron affinity?
 - A group 14
 - B group 15
 - C group 16
 - D group 17
 - E group 18
- 7 The difference between deuterium ^2_1H and the more common form hydrogen is
 - A that deuterium does not occur naturally.
 - B that deuterium is radioactive.
 - C has one more neutron in the nucleus.
 - D has one more proton in the nucleus.
 - E has one more atom per molecule.
- 8 Which group of atoms and ions contain the same number of electrons?
 - A F, Ne, Na
 - B O^{2-} , S^{2-} , Se^{2-}
 - C Mg, Al, Si
 - D Ca^{2+} , Fe^{3+} , Zn^{2+}
 - E Cl^- , Ar, K^+

- 9 Which of the following is an ionic solid?
- A N_2O
B HCl
C CO_2
D LiCl
E CH_4
- 10 What volume of CO_2 is produced when you burn exactly 1.0 litre of gaseous propane (C_3H_8) in the presence of excess oxygen in your backyard barbecue? Assume H_2O and CO_2 are the only combustion products and P and T remain constant.
- A 1.0
B 1.5
C 2.0
D 2.5
E 3.0
- 11 Radioactive Polonium ^{210}P is extremely toxic. Complete the reaction for the radioactive decay of ^{210}P .
- $$\text{P} \rightarrow \boxed{?} + {}^4_2\text{He}$$
- A ^{206}Pb
B ^{212}Tl
C ^{214}Po
D ^{214}Rn
E ^{210}Po
- 12 The bubbles in boiling water are mostly
- A He
B H_2O
C CO_2
D N_2
E O_2
- 13 An element, X, from group 1 of the periodic table combines to form a stable compound with an element, Y, from group 16. The formula of that compound is most likely to be
- A X_2Y
B X_2Y_3
C XY
D X_2Y
E XY_3
- 14 After a large meal the pH of your stomach drops to 1.76. What is the $[\text{H}^+]$ in your stomach?
- A $1.66 \times 10^{-2} \text{ mol L}^{-1}$
B 60.3 mol L^{-1}
C 1.78 mol L^{-1}
D $1.83 \times 10^{-3} \text{ mol L}^{-1}$
E $6.03 \times 10^{-2} \text{ mol L}^{-1}$
- 15 $\text{Ba}(\text{ReO}_4)_2$ is barium perrhenate. What is the charge on the perrhenate ion?
- A +2
B +1
C 0
D -1
E -2
- 16 These three compounds have been isolated: NaCl , Na_2O , and AlCl_3 . What is the formula of aluminium oxide?
- A Al_2O
B Al_2O_3
C Al_3O
D AlO
E AlO_3

17 The average car in Canada uses 0.93L of gasoline to go 100km. The density of gasoline, octane, is 0.70g/mL and the molar mass is 114.2 g/mol. How many moles of gasoline are consumed by driving 100km?

- A 0.93
- B 11
- C 5.7
- D 5.7×10^{-4}
- E 1.1×10^{-3}

18 How many moles of an ideal gas are present in a 15.0L scuba tank with a pressure of 23.0MPa at 298K?

- A 23
- B 72
- C 44
- D 14.1
- E 139

19 Chlorine has two abundant stable isotopes ^{35}Cl and ^{37}Cl with atomic masses of 34.97 amu and 36.96amu respectively. What is the percent abundance of the heavier isotope?

- A 78
- B 36
- C 64
- D 50
- E 24


20 The property of a compound that is closely related to the heat of vapourisation is...?

- A density
- B colour
- C solubility
- D thermal stability
- E boiling point

21 Which of the following types of radiation has the highest energy?

- A radio waves
- B ultraviolet radiation
- C infrared radiation
- D x-rays
- E purple laser light

22 The Lewis structure (i.e. electron dot) structure for the O_3 molecule is given below.



The bond angle is nearest to

- A 60°
- B 90°
- C 105°
- D 120°
- E 180°


23 What volume of 0.100molL^{-1} NaOH is required to neutralize 0.245L of 0.200molL^{-1} H_3PO_4 ?

- A 0.490 L
- B 0.500 L
- C 1.47 L
- D 2.30 L
- E 1.47 mL

24 Which of the following compounds forms hydrogen bonds?

- A CH_3OCH_3 Dimethyl ether
- B HCl Hydrochloric acid
- C H_2S Hydrogen sulfide
- D $\text{CH}_3\text{CH}_2\text{OH}$ Ethanol
- E H_2CO Formaldehyde

- 25 Al(s) dissolves in acidic solution according to the following reaction




How many grams of aluminium (27g/mol) are necessary to produce 0.50mol of H₂(g)?

- A 20
 B 9.0
 C 14
 D 27
 E .24
- 26 For which of the following reactions is the change in energy equal the first electron affinity?
- A $\text{X}^-(\text{g}) + \text{e}^- \rightarrow \text{X}^{2-}(\text{g})$
 B $\text{X}(\text{g}) + 2\text{e}^- \rightarrow \text{X}^{2-}(\text{g})$
 C $\text{X}(\text{g}) \rightarrow \text{X}^+ + \text{e}^-$
 D $\text{X}(\text{g}) + \text{e}^- \rightarrow \text{X}^-(\text{g})$
 E $\text{X}(\text{g}) \rightarrow \text{X}^{2+} + 2\text{e}^-$
- 27 How does the pH of a solution change as HCl is added to a solution of NaOH?
- A The pH decreases and may go below 7.
 B The pH will not change.
 C The pH decreases until it reaches a value of 7 and the stops.
 D The pH increases until it reaches a value of 7 and then stops.
 E The pH increases and may go above 7.

- 28 The volume of a gas at 1 atm temperature of 20 C is increased from 40mL to 80mL. If the pressure remains constant what is the final temperature of the gas?

- A $293\text{K} + \frac{80.0}{40.0}$
 B $20^\circ\text{C} \times \frac{80.0}{40.0}$
 C $293\text{K} \times \frac{80.0}{40.0}$
 D $293\text{K} \times \frac{40.0}{80.0}$
 E $20^\circ\text{C} \times \frac{40.0}{80.0}$

- 29 Which drawing shows a pipet correctly filled for delivery?



- A 1
 B 2
 C 3
 D 4
 E none of the above
- 30 What is the mass percent copper in Cu(II)Cl₂ ?
- A 12.1%
 B 64.2%
 C 91.2%
 D 25.2%
 E 47.3%

- 31** Which one of the following solutions will be the best electrical conductor at 25°C?
- A 0.10 mol L⁻¹ Na₂SO₄(aq)
 B 0.10 mol L⁻¹ NaCl(aq)
 C 0.10 mol L⁻¹ CaSO₄(aq)
 D 0.10 mol L⁻¹ HNO₃(aq)
 E 0.10 mol L⁻¹ CsCl(aq)
- 32** What is the coefficient of O₂ when the following reaction is balanced with whole-number coefficients?
- $$__\text{Cr}_2\text{O}_3 + __\text{KOH} + __\text{O}_2 \rightarrow __\text{K}_2\text{CrO}_4 + __\text{H}_2\text{O}$$
- A 2
 B 3
 C 4
 D 5
 E 6
- 33** What is the oxidation state of N in HNO₂?
- A +5
 B +3
 C +1
 D -1
 E -3
- 34** If the kelvin temperature of a sample of ideal gas doubles (e.g. from 200 K to 400 K), then the average kinetic energy of the molecules in the sample
- A increases by a factor of $\sqrt{2}$
 B increases by a factor of 2
 C decreases by a factor of 2
 D increases by a factor of 4
 E remains the same
- 35** A neutral atom whose lowest electronic configuration is [Xe] 6s² 5f¹⁴ 6d¹⁰ 6p⁴ belongs to
- A Group 3
 B Group 4
 C Group 6
 D Group 14
 E Group 16
- 36** How many moles of water are there in 1.80L of H₂O(l) at a pressure of 1.00 atm and temperature of 298K. The density of water is 1.00g/mL.
- A 1.00
 B .0736
 C 55.6
 D 1.00 x 10²
 E 13.6
- 37** The reaction, Al(s) + HCl(aq) → AlCl₃(aq) + H₂(g) is an example of
- A a precipitation reaction
 B an acid-base reaction
 C a decomposition reaction
 D an oxidation-reduction reaction
 E an isomerization reaction
- 38** If equal volumes of 0.10 mol/L solutions of NaOH and HCl are mixed, what is the pH of the solution?
- A 1
 B 13
 C 7
 D 1.3
 E 12.7

- 39 What is the concentration of a calcium chloride solution if 11.00 g of calcium chloride, CaCl_2 , is dissolved in water to make 500 mL of solution?
- A .2 mol L^{-1}
B .1982 mol L^{-1}
C .198 mol L^{-1}
D .2000 mol L^{-1}
E .20 mol L^{-1}
- 40 A compound of carbon and hydrogen is found to be 85.6 % carbon, by mass, and 14.38% hydrogen. What is the simplest formula of the compound?
- A CH
B CH_2
C CH_3
D CH_4
E C_3H_4

DATA SHEET AVOGADRO EXAM 2007

DETACH CAREFULLY

1 1A	2 2A											13 3A	14 4A	15 5A	16 6A	17 7A	18 8A
1 H 1.008																	2 He 4.003
3 Li 6.941	4 Be 9.012											5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
11 Na 22.99	12 Mg 24.31	3 3B	4 4B	5 5B	6 6B	7 7B	8 ←	9 8B	10 →	11 1B	12 2B	13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.88	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.38	31 Ga 69.72	32 Ge 72.59	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc (98)	44 Ru 101.1	45 Rh 102.9	46 Pd 106.4	47 Ag 107.9	48 Cd 112.4	49 In 114.8	50 Sn 118.7	51 Sb 121.8	52 Te 127.6	53 I 126.9	54 Xe 131.3
55 Cs 132.9	56 Ba 137.3	57 La 138.9	72 Hf 178.5	73 Ta 180.9	74 W 183.9	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.1	79 Au 197.0	80 Hg 200.6	81 Tl 204.4	82 Pb 207.2	83 Bi 209.0	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra 226	89 Ac 227.0	104 Rf	105 Db	106 Sg	107 Bh	108 Hs	109 Mt	110 Uun	111 Uuu	112 Uub	113 Uut					

58 Ce 140.1	59 Pr 140.9	60 Nd 144.2	61 Pm (145)	62 Sm 150.4	63 Eu 152.00	64 Gd 157.3	65 Tb 158.9	66 Dy 162.5	67 Ho 164.9	68 Er 167.3	69 Tm 168.9	70 Yb 173.0	71 Lu 175.0
90 Th 232.0	91 Pa 231.0	92 U 238.0	93 Np 237.0	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (260)

Constants:

$$N_A = 6.022 \times 10^{23} \text{ mol}^{-1}$$

$$R = 0.082058 \text{ atm L K}^{-1} \text{ mol}^{-1}$$

$$= 8.3145 \text{ kPa L K}^{-1} \text{ mol}^{-1}$$

$$= 8.3145 \text{ J K}^{-1} \text{ mol}^{-1}$$

$$K_w = 1.0 \times 10^{-14} \text{ (at 298 K)}$$

$$F = 96485 \text{ C mol}^{-1}$$

Conversion factors:

$$1 \text{ atm} = 101.325 \text{ kPa} = 760 \text{ torr} = 760 \text{ mm Hg}$$

$$0^\circ\text{C} = 273.15 \text{ K}$$

Equations:

$$PV = nRT$$

$$k_{t_{1/2}} = 0.693$$

$$\text{pH} = \text{pK}_a + \log \left(\frac{[\text{base}]}{[\text{acid}]} \right)$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$